

FOREST KS® Klick System Highly efficient hand drawn system for all types of medium and light weight draperies.

Quick installation with "Smart Klick" brackets for wall and ceiling applications.




FOREST KS®




PRODUCT INFORMATION

- Highly efficient hand drawn system for all types of light to medium weight draperies.
- Quick installation with "Smart Klick" brackets for wall and ceiling applications plus optional cover caps that conceal the screws.
- Bendable KS can be curved and reversed curved using a 4" radius or continuous curve.
- Suitable for special window shapes such as circular, arched and triangular.
- Heavy duty clickable carriers are UV-protected and offer smooth, easy traversing. Shape is offset so pleats hang straight.
- Can also be used with ripplefold and accordiafold drapery.
- Maximum fabric weight: 3 lbs per foot.
- Finish colors available: white, black, brown, and silver.
- Available lengths: 13'1", 16'4", and 19'8".
- Track finish: chromated powder coating with a factory applied patented dry lubricant.





- 2 Carrier
- 3 Stop Carrier
- 4 Twist End Stop
- 5 Twist End Stop with Cap




BENDING / CURVING

The track can be curved and reversed curved using a 6" or 8" radius. Continuous curving is also possible with the electrical bending tool. Actual size template is required.



PROFILE


- Weight: 1.62 ounce per ft.
- Aluminum Extrusion
- Dimensions: 3/4" x 1/2"



FOR USE IN

Hotels, offices, schools, healthcare, residences, boats, campers, planes or at any location where an efficient hand drawn system is required.






Easy installation click - position - tighten

clickable carrier

APPLICATIONS




FOREST KS®


MOUNTING BRACKETS

Brackets need to be placed every 24".

Heavy Duty Ceiling Bracket with Smart Klick 3003-XX



3" Smart Klick Wall Bracket 53202-XX




6" Smart Klick Double Wall Bracket 53206-XX



3" Wall Bracket for Wood Poles 3280-XX

A) 3" B) 2 1/2"



6" Double Wall Bracket for Wood Poles 3281-XX

A) 6"

B) 3 5/8"

C) 1 3/4" C) 3 3/4"

A) 8" B) 3 5/8"


3/4"

2 1/2" FOREST" Optional cover for wall bracket 32801-25 2 3/4"

10" Triple Wall Bracket for Wood Poles 3284-25

A) 10" B) 3 3/4"

C) 2"



KS		COMPONENT	KS		COMPONENT
•	1/2"	KS Klick System Track 1013-25 white 13' 1" 1016-25 white 16' 4" 1019-25 white 19' 8" 1016-90 silver 16' 4"	•		2309-25 59 black , 65 brown, 90 silver KS End Cap Multifunctional
•	3/4"	30031-25 59 black , 65 brown, 90 silver Ceiling Bracket Cover	•		3001-25 59 black , 65 brown, 90 silver Regular Duty Ceiling Bracket
_		use with 3003-XX 53202-25	•		3901-25 59 black , 65 brown, 90 silver Ceiling Splice/Bracket
		59 black , 65 brown, 90 silver 3" Smart Klick Wall Bracket w/ wide base, adjusts 3-4.5"	•		52003-25 65 brown Economy Slide
•		53206-25 59 black , 65 brown, 90 silver 6" Smart Klick Double Wall Bracket w/ wide base adjusts 2.5"-4" & 6"-7.5"	•		52004-25 Low Profile Ball Bearing Carrier
•	1 1/2"	53202-25 59 black , 65 brown, 90 silver 3" Smart Klick Wall Bracket w/ wide base, adjusts 3-4.5"	•	1 3/4" from top of track to bottom of J hook.	2201-25 59 black , 65 brown Klick Carrier w/ Stainless Hook Use with grommets
•		53206-25 59 black , 65 brown, 90 silver 6" Smart Klick Double Wall Bracket	•	6 6	52005-25 Button Slide Carrier
_	2"	w/ wide base adjusts 2.5"-4" & 6"-7.5"	•	Ħ J	52105-25 Button Slide Carrier w/ Hook
•	7 21/2"	3280-25 59 black , 65 brown, 90 silver 3" Wall Bracket, heavy duty projection 2 1/2"	•	land 1000	2525-25 Overlap R 2526-25 Underlap L 59 black , 65 brown Pinchpleat Master
•	7 2 ½"	3281-25 59 black , 65 brown 6" Double Wall Bracket, heavy duty projection 1 1/2", 5 1/2"	•	50.0	2527-25 Overlap L 2528-25 Underlap R 52410-25 Butt R 52409-25 Butt L
•	Á	32801-25 59 black, 90 silver Wall Bracket Cover			59 black Standard Butt Master w/ snaps and for baton use
•	T	use with 3280 & 3281 2001-25 59 black , 65 brown, 90 silver Klick Carrier, for pinch pleat	•	21/2"—I	2540-25 Overlap R 2541-25 Underlap L Low Profile Snap Master for straight track only
•	ð	2002-25 59 black , 65 brown, 90 silver Shirrtape Carrier	•		2305-25 59 black , 65 brown, 90 silver Twist On End Stop
•		2004-25 59 black Snap Carrier, for accordiafold	•		52307-90 End Lock
•	Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape 2114-25, 59 black 60% fullness, 2 5/8" OC 2111-25, 65 brown, 90 silver 80% fullness, 2 3/8" OC 2112-25, 59 black 100% fullness, 2 1/8" OC 2115-25, 59 black		•		2308-25 Return Plate reversible, 2 1/2" return
			•	A.	54110-25 36" Fiberglass Baton w/ snap See all batons at the end of brochure

120% fullness, 1 7/8" OC

FOREST BATONS

BATONS		COMPONENT	BATONS		COMPONENT
•	adaptor	3/8" Fiberglass Baton Must order screw separately 36" 54110-25 white w/ snap 54310-25 white w/ adaptor 54110-24, -59, -81, -90 w/ snap 48" 54111-25 white w/ snap 54311-25 white w/ adaptor 54111-24, -59, -65, -81, -90 w/ snap 60" 54112-25 white w/ snap 54312-25 white w/ adaptor 54112-24, -59, -81, -90 w/ snap 72" 54113-25 white w/ snap 54313-25 white w/ adaptor 54113-25 white w/ snap 54313-25 white w/ adaptor 54113-24, -59, -81, -90 w/ snap 84" 54114-25 white w/ snap 54314-25 white w/ snap 54314-25 white w/ snap 54315-25 white w/ snap 54315-25 white w/ snap 54315-25 white w/ snap	•	snap adaptor snap adaptor adaptor	1/2" Clear Acrylic Baton Must order screw separately 36" 54510-00 w/ snap 54710-00 w/ adaptor 48" 54511-00 w/ snap 54711-00 w/ adaptor 60" 54512-00 w/ snap 54712-00 w/ snap 54713-00 w/ snap 54713-00 w/ snap 54713-00 w/ snap 54713-00 w/ adaptor 1/2" Clear Acrylic Baton Fluted 36" 54610-00 w/ snap 54810-00 w/ snap 54811-00 w/ adaptor 60" 54612-00 w/ snap 54811-00 w/ snap 54813-00 w/ snap 54813-00 w/ snap 54813-00 w/ snap
•	Colors available for 3/ 24 25 Satin Brass White	/8" Fiberglass Batons 59 Black Brown 48" only ADA Clear Acrylic Baton 48" 54911-00 w/ adaptor 60" 54912-00 w/ adaptor	•		9013-00 Baton Holder, clear acrylic 54001-16 Baton Snap 9015-00 Hex Head Shoulder Screw for baton w/ adaptor 54000-16 D-Ring

